

MATERIAL SAFETY DATA SHEET
10-2-2



SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name 10-2-2
REACH registration notes This Mixture is exempt from REACH registration according to Regulation (EC) No 1907/2006 (REACH). All raw materials used in the mixture are REACH registered where necessary

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses Supplies for professional and amateur use as a herbicide weed killer and moss killer

1.3 Details of the supplier of the safety data sheet

Supplier Angus Horticulture
Polmood, Guthrie
Forfar, Angus, DD8 2TW
sales@angus-horticulture.co.uk

1.4 Emergency telephone number

Emergency telephone number +44 (0) 1241 829049

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (EC1272/2008)

Physical hazards Not classified
Health hazards Eye Irrit 2 H319
Environmental hazards Aquatic Chronic 3 H412

2.2 Label elements

Hazard pictograms



Signal word Warning
Hazard statements EUH208 Contains (2,4-dichlorophenoxy) acetic acid, dimethylamine salt. May produce an allergic reaction
H319 Causes serious eye irritation
H412 Harmful to aquatic life with long lasting effects
Precautionary statements P264 Wash contaminated skin thoroughly after handling.
P280 Wear protective gloves/protective clothing/eye protection/face protection
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313 If eye irritation persists: Get medical advice/attention.
P391 Collect spillage
P501 Dispose of contents/container in accordance with national regulations
Supplemental label information EUH401 To avoid risks to human health and environment, comply with the instructions for use

MATERIAL SAFETY DATA SHEET
10-2-2



Supplementary precautionary statements

P270 Do not eat, drink or smoke when using this product.
P273 Avoid release to the environment.
P301+P312 IF SWALLOWED: Call a POISON CENTRE/doctor if you feel unwell
P330 Rinse mouth

2.3 Other hazards

This substance is not classified as PBT or vPvB according to current EU criteria

SECTION 3: Composition/information on ingredients

3.2 Mixtures

SSP Single Superphosphate CAS Number: 8011-76-5 Classification Eye Irrit 2 H319	EC Number: 232-379-5 REACH registration Number: 01-2119488967-11-XXX Classification (67/548/EEC or 1999/45/EC) Xi: R41	5-10%
nickel sulfate CAS Number: 7786-81-4 Classification Acute Tox 4 H302 Skin Irrit 2 H315 Skin Sens 1 H317 Carc 1A H350i STOT RE 1 H372 Aquatic Chronic 1 H410	EC Number: 232-104-9 Classification Acute Tox 4 H332 Resp Sens 1 H334 Muta 2 H341 Repr 1B H360D Aquatic Acute 1 H400	<1%

The Full text for all R-Phrases and Hazard Statement are Displayed in Section 16

SECTION 4: First Aid measures

4.1 Description of first aid measures

General information	Get medical attention if any discomfort continues.
Inhalation	Remove person to fresh air and keep comfortable for breathing. Get medical attention if symptoms are severe or persist
Ingestion	Do not induce vomiting unless under the direction of medical personnel. Get medical attention if symptoms are severe or persist. Rinse mouth thoroughly with water. Give plenty of water to drink
Skin contact	Rinse immediately with plenty of water. Remove contaminated clothing. Wash contaminated clothing before reuse. Get medical attention if symptoms are severe or persist after washing.
Eye contact	Rinse immediately with plenty water. Remove contact lenses, if present and easy to do so. Continue rinsing. Continue to rinse for at least 10 minutes. Get medical attention if symptoms are severe or persist after washing.

4.2 Most important symptoms and effects, both acute and delayed

Inhalation	Dust in high concentrations may irritate the respiratory system
Ingestion	The product is considered to be a low hazard under normal conditions of use
Skin contact	Skin irritation should not occur when used as recommended. The product is considered to be a low hazard under normal conditions of use.
Eye contact	Causes serious eye irritation. Prolonged or repeated exposure may cause severe irritation

4.3 Indication of any immediate medical attention and special treatment needed

Notes for the doctor	Treat symptomatically
-----------------------------	-----------------------

MATERIAL SAFETY DATA SHEET
10-2-2



SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire.
Unsuitable extinguishing media Not applicable

5.2 Special hazards arising from the substance or mixture

Special hazards Thermal decomposition or combustion products may include the following substances:
Irritating gases or vapours

5.3 Advice for firefighters

Protective actions during firefighting Cool containers exposed to heat with water spray and remove them from the fire area, if it can be done without risk. Control run-off water by containing and keeping it out of sewers and watercourse. Contain and collect extinguishing water. If risk of water pollution occurs, notify the appropriate authorities

Special protective equipment for firefighters Use protective equipment appropriate for surrounding materials. Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Firefighter's clothing conforming to European standard EN469 (inc helmets, protective boots & gloves) will provide a basic level of protection for chemical incidents.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid inhalation of dust and contact with skin and eyes. Use respiratory protection if ventilation is inadequate. Wear suitable protective equipment, inc gloves, goggles/face shield, respirator, boots, clothing or apron, as appropriate. Take care as floors and other surfaces may become slippery.

6.2 Environmental precautions

Environmental precautions Harmful to aquatic life with long lasting effects. The product is slowly degradable. The product contains substances which are toxic to aquatic organisms and which may cause long-term adverse effects in the aquatic environment. Avoid discharge into drains and the aquatic environment. Use appropriate containment to avoid environmental contamination. Avoid the spillage or runoff entering drains, sewers or watercourses. Spillages or uncontrolled discharges into watercourses must be reported immediately to the Environmental Agency or other appropriate regulatory body

6.3 Methods and material for containment and cleaning up

Methods for cleaning up Take care as floors and others surfaces may become slippery. Avoid generation and spreading of dust. Collect spillage with a shovel and broom, or similar and reuse, if possible. Containers with collected spillage must be labelled with correct content and hazard symbol. Dispose of contents/container in accordance with national regulations. Do not empty into drains. Collect and dispose of spillage as indicated in Section 13

6.4 Reference to other sections

Reference to other sections For personal protection, see Section 8. For waste disposal, see Section 13.

MATERIAL SAFETY DATA SHEET
10-2-2



SECTION 7: Handling and storage

7.1 Precautions for safe handling

Usage precautions Read label before use. Wear appropriate clothing to prevent repeated or prolonged skin contact. Avoid inhalation of dust and contact with skin and eyes.

Advice on general occupational hygiene Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling. Wash at the end of each work shift and before eating, smoking and using the toilet.

7.2 Conditions for safe storage, including any incompatibilities

Storage precautions Store in a dry place. Keep container in a well-ventilated place. Keep out of the reach of children. Keep away from combustible materials. Keep away from heat. Store away from incompatible materials (see Section 10)

7.3 Specific end use(s)

Specific end use(s) The substance has not been assessed for the specific end-points listed in 1.2, so it's hazardous property in this regard is not known

SECTION 8: Exposure controls/Personal protection

8.1 Control parameters Occupational exposure limits

Sand Long-term exposure limit (8-hour TWA): Silica Dust (respirable) WEL 0.1mg/m³
WEL = Workplace Exposure Limit

SSP Single Superphosphate (CAS: 8011-76-5)

DNEL Workers - Inhalation; Long term systemic effects: 3.1 mg/m³
Workers - Dermal; Long term systemic effects: 17.4 mg/kg/day.
General population - Inhalation; Long term systemic effects: 0.9 mg/m³
General population - Oral; Long term systemic effects: 2.1 mg/kg/day
General population - Dermal; Long term systemic effects: 10.4 mg/kg/day

PNEC - Fresh water; 1.7 mg/l
- Marine water; 0.17 mg/l
- Intermittent release; 17 mg/l
- STP; 10 mg/l

Potash (CAS: 7447-40-7)

DNEL Workers - Dermal; Short term systemic effects: 580 mg/kg/day
Workers - Dermal; Long term systemic effects: 580 mg/kg/day
Workers - Inhalation; Short term systemic effects: 292 mg/m³
Workers - Inhalation; Long term systemic effects: 292 mg/m³

PNEC Industry - Fresh water; 0.47 mg/l
Marine water; 0.047 mg/l

MATERIAL SAFETY DATA SHEET

10-2-2



8.2 Exposure Controls

Protective equipment



Appropriate engineering controls	All handling should only take place in well-ventilated areas
Eye/Face Protection	Wear eye protection. Chemical splash goggles or face shield. Personal protective equipment for eye and face protection should comply with European Standard EN166
Hand Protection	It is recommended that chemical-resistant, impervious gloves are worn. To protect hands from chemicals, gloves should comply with European Standard EN374
Other skin & body protection	Wear appropriate clothing to prevent repeated or prolonged skin contact
Hygiene measures	Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product
Respiratory protection	No specific recommendations

SECTION 9: Physical and Chemical properties

9.1 Information on basic physical and chemical properties

Appearance	Granules
Colour	Beige to Dark Brown or Black
Odour	Mild
Odour threshold	Not determined
pH	ca 3.0 (1% Dilution in Water)
Melting Point	Not relevant
Initial Boiling Point & Range	Not relevant
Flash Point	Not relevant
Evaporation Rate	Not relevant
Flammability (solid, gas)	The product is not flammable
Vapour pressure	Not relevant
Vapour density	Not relevant
Relative density	Not relevant
Bulk density	Pour Density 0.9 g/mL Tap Density 0.94 g/mL
Solubility (ies)	Soluble in water
Partition coefficient	Not known
Auto-ignition temperature	Not relevant
Decomposition Temperature	Not relevant
Viscosity	Not relevant
Explosive properties	Not relevant
Oxidising properties	Does not meet the criteria for classification as oxidising

9.2 Other information

Other information	No information required
--------------------------	-------------------------

MATERIAL SAFETY DATA SHEET
10-2-2



SECTION 10: Stability & Reactivity

10.1 Reactivity

Reactivity No test data specifically related to reactivity available for this product or its ingredients

10.2 Chemical Stability

Stability Stable when stored in a dry place

10.3 Possibility of hazardous reactions

Possibility of hazardous reactions No potentially hazardous reactions known

10.4 Conditions to avoid

Conditions to avoid Avoid extremes of temperature

10.5 Incompatible materials

Materials to avoid Water, moisture

10.6 Hazardous decomposition products

Hazardous decomposition products Possible irritant fumes

SECTION 11: Toxicological Information

11.1 Information on toxicological effects

Toxicological effects This product is not classified for acute toxicity based on the individual toxicity values of the component included within the product and calculation methods given in Regulation 1272/2009

Acute toxicity - oral

Notes (oral LD₅₀)

Iron Sulphate: EFSA peer review endpoint (EFSA journal 2012; 10 (1): 2521) Rat LD₅₀ 1185-1750 mg/kg bw FeSO₄ (H302) Harmful if swallowed. Dicamba EFSA peer review endpoint (EFSA Journal 2011; 9 (10): 1965) Rat LD₅₀ 1581 mg/kg bw (H302) Harmful if Swallowed. Mecoprop-P Supplier SDS, Rat LD₅₀ 776 mg/kg bw (H302) Harful if swallowed. 2,4-D Acid: EFSA Journal 2014; 12 (9): 3812 Rat LD₅₀ >300 & >2000 mg/kg bw. (H302) Harmful if swallowed

ATE oral (mg/kg)

4,173.0

Acute toxicity – dermal

Notes (dermal LD₅₀)

No specific test data are available

Acute toxicity – inhalation

Notes (inhalation LC₅₀)

No information available

Skin corrosion/irritation

Skin corrosion/irritation

Based on available data the classification criteria are not met. Not classified for skin irritant as confirmed via study data (OECD 439)

Serious eye damage/irritation

Serious eye damage/irritation

Causes serious eye irritation. Classified as an eye irritant category 2 as confirmed via study data (OECD 438)

Respiratory sensitisation

Respiratory sensitisation

No specific test data are available

Skin sensitisation

Skin sensitisation

No classified for skin sensitisation category 1. Due to the content of 2,4D and it's classification as a skin sensitizer, EUH208 is applied

MATERIAL SAFETY DATA SHEET
10-2-2



Germ cell mutagenicity

Genotoxicity – in vitro This substance has no evidence of mutagenic properties

Carcinogenicity

Carcinogenicity No specific test data are available. There is no evidence that the product can cause cancer

Reproductive toxicity

Reproductive toxicity – fertility Based on available data, the classification criteria are not met

Specific target organ toxicity – single exposure

STOT – single exposure Not classified as a specific target organ toxicant after a single exposure

Specific target organ toxicity – repeated exposure

STOT – repeated exposure Not classified as a specific target organ toxicant after repeated exposure

Aspiration hazard

Aspiration hazard Not anticipated to present an aspiration hazard, based on chemical structure

Skin contact

May cause an allergic skin reaction

Eye contact

Causes serious eye irritation

SECTION 12: Ecological information

Ecotoxicity

Harmful to aquatic life with long lasting effects. Classified as Harmful to aquatic life with long lasting effects as part of the products evaluation under regulation 1107/2009

12.1 Toxicity

12.2 Persistence and degradability

Persistence and degradability The product is slowly degradable

12.3 Bio-accumulative potential

Partition coefficient Not known

12.4 Mobility in soil

Mobility No data available

12.5 Results of PBT and vPvB assessment

Results of PBT and vPvB assessment This product does not contain any substances classified as PBT or vPvB

12.6 Other Adverse effects

Other adverse effects Not relevant

MATERIAL SAFETY DATA SHEET
10-2-2



SECTION 13: Disposal considerations

13.1 Waste treatment methods

General Information Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

Disposal methods The generation of waste should be minimised or avoided wherever possible. Reuse or recycle products wherever possible. Only store in correctly labelled containers. Dispose of contents/ container in accordance with national regulations. Do not empty into drains.

SECTION 14: Transport information

General The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID)

14.1 UN number Not applicable

14.2 UN proper shipping name Not applicable

14.3 Transport hazard class(es) No transport sign warning required

14.4 Packing group Not applicable

14.5 Environmental hazards

Environmental hazardous substance/marine pollutant No

14.6 Special precautions for user Not applicable

14.7 Transport in bulk to Annex II of MARPOL and the IBC Code

Transport in bulk according to Annex II of MARPOL and the IBC Code
Applicable for Maritime bulk transport only. Check with carrier

SECTION 15: Regulatory Information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).
Regulation (EC) No 1907/2006 of the European Parliament and of the Council 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended).

15.2 Chemical safety assessment No chemical safety assessment has been carried out

MATERIAL SAFETY DATA SHEET
10-2-2



SECTION 16: Other Information

Abbreviations & Acronyms	ATE	Acute Toxicity Estimate
	ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
	ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
	CAS	Chemical Abstracts Service
	DNEL	Derived No Effect Level
	GHS	Globally Harmonised System
	IATA	International Air Transport Association
	IMDG	International Maritime Dangerous Goods
	ICAO	Technical Instructions for the Safe Transport of Dangerous Goods by Air.
	LC ₅₀	Lethal Concentration of 50% of a test population
	LD ₅₀	Lethal Dose of 50% of a test population (Median Lethal Dose)
	PBT	Persistent, Bio-accumulative and Toxic substance
	PNEC	Predicted No Effect Concentration
	REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
	SVHC	Substances of Very High Concern
	vPvB	very Persistent and very Bio-accumulative
	cATpE	Converted Acute Toxicity Point Estimate
	LOAEC	Lowest Observed Adverse Effect Concentration
	LOAEL	Lowest Observed Adverse Effect Level
	EC ₅₀	50% of maximal Effective Concentration
NOAEL	No Observed Adverse Effect Level	
NOEC	No Observed Effect Concentration	
LOEC	Lowest Observed Effect Concentration	
DMEL	Derived Minimal Effect Level	
Risk Phrases in full Hazard statements in full	R22	Harmful if swallowed
	R36/38	Irritation to eyes and skin
	R37	Irritation to respiratory system
	R41	Risk of serious damage to eyes
	R43	May cause sensitisation by skin contact
	R51/53	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment
	R52/53	Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment
Hazard statements in full	H302	Harmful if swallowed
	H315	Causes skin irritation
	H317	May cause an allergic skin reaction
	H318	Causes serious eye damage
	H319	Causes serious eye irritation
	H412	Harmful to aquatic life with long lasting effects
	EUH208	contains (2,4-dichlorophenoxy) acetic acid. May produce an allergic reaction

Disclaimer

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Angus Horticulture Ltd gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Angus Horticulture Ltd accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.