

## **HYGRASS-P**

FOR THE CONTROL OF A RANGE OF ANNUAL AND PERENNIAL BROAD-LEAVED WEEDS IN MANAGED AMENITY TURF.

150g/l mecoprop-P (13.8% w/w) 18.7g/l dicamba per litre (1.7% w/w) as the potassium salts Formulation: Soluble concentrate The (COSHH) Control of Substances Hazardous to Health Regulations may apply to the use of this product at work.

(MAPP 16802)

MAX DOSE 5.0L/HA



## SAFETY INFORMATION:

Sauses skin irritation. Causes serious eye damage. Toxic to aquatic life with long lasting effects.

Avoid release to the environment. Wear protective gloves/protective clothing/eye protection/face protection. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately Call a POISON

CENTER or doctor/physician.
Collect spillage. Dispose of
contents/container to a licensed
hazardous waste disposal
contractor or collection site
except for empty clean
containers which can be disposed
of as non-hazardous waste.

To avoid risks to human health and the environment, comply with the instructions for use.

(MAPP 16802)

The Voluntary Initiative

39-2/16-GL0030

This label is compliant with the CPA Voluntary Initiative Guidance

5 Litres 🖯

IMPORTANT INFORMATION: FOR USE AS AN AGRICULTURAL HERBICIDE as directed below:
Crops: Maximum dose Max No. of treatme

5.0 litres/ha

Managed amenity turf

Max No. of treatments
Two per year

Latest timing

#### OTHER SPECIFIC RESTRICTIONS

DANGER

The total amount of mecoprop-P applied to an individual crop, or in a single year in the case of a perennial crop, must not exceed the maximum dose of mecoprop-P approved for application to that crop by any single mecoprop-P containing product.

READ THE LABEL BEFORE USE. USING THIS PRODUCT IN A MANNER THAT IS INCONSISTENT WITH THE LABEL MAY BE AN OFFENCE. FOLLOW THE CODE OF PRACTICE FOR USING PLANT PROTECTION PRODUCTS.





HYGRASS-P is a registered product of Agrichem Limited which is an associated company of Agrichem (International) Limited. APPROVAL HOLDER: Agrichem Limited, Arus Hygeia, Oranmore, Co. Galway Ireland.



## MARKETED BY:

Agrichem (International) Limited Industrial Estate, Station Road, Whittlesey, Cambs. PE7 2EY. Telephone (01733) 204019 Fax (01733) 204162





# **HYGRASS-P**

FOR THE CONTROL OF A RANGE OF ANNUAL AND PERENNIAL BROAD-LEAVED WEEDS IN MANAGED AMENITY TURE.

150g/l mecoprop-P (13.8% w/w) 18.7g/l dicamba per litre (1.7% w/w) as the potassium salts Formulation: Soluble concentrate The (COSHH) Control of Substances Hazardous to Health Regulations may apply to the use of this product at work.

(MAPP 16802) **MAX DOSE** 





IMPORTANT INFORMATION: FOR USE AS AN AGRICULTURAL HERBICIDE as directed below:

Managed amenity turf

Crops:

 $\mathbf{H}$ 

OTHER SPECIFIC RESTRICTIONS

The total amount of mecoprop-P applied to an individual crop, or in a single year in the case of a perennial crop, must not exceed the maximum dose of mecoprop-P approved for application to that crop by any single mecoprop-P containing product.

SAFETY INFORMATION:

Causes skin irritation. Causes

serious eve damage. Toxic to

aguatic life with long lasting

environment. Wear protective

gloves/protective clothing/eye protection/face protection, IF IN

EYES: Rinse cautiously with water

for several minutes, Remove

contact lenses, if present and

easy to do. Continue rinsing.

Immediately Call a POISON


Maximum dose

5.0 litres/ha

Avoid release to the

effects.

READ THE LABEL BEFORE USE. USING THIS PRODUCT IN A MANNER THAT IS INCONSISTENT WITH THE LABEL MAY BE AN OFFENCE. FOLLOW THE CODE OF PRACTICE FOR USING PLANT PROTECTION PRODUCTS.



To avoid risks to human health and the environment, comply with the instructions for use.

Max No. of treatments

Two per year

(MAPP 16802)

Latest timing

39-2/16-GL0030

This label is compliant with the **CPA Voluntary Initiative Guidance** 

The

Voluntary

Initiative

10 Litres  $\bigcirc$ 



HYGRASS-P is a registered product of Agrichem Limited which is an associated company of Agrichem (International) Limited. APPROVAL HOLDER: Agrichem Limited, Arus Hygeia, Oranmore, Co. Galway Ireland.



## MARKETED BY:

Agrichem (International) Limited Industrial Estate, Station Road, Whittlesey, Cambs, PE7 2EY. Telephone (01733) 204019 Fax (01733) 204162



## SAFETY PRECAUTIONS

#### Operator Protection

Engineering control of operator exposure must be used where reasonably practicable in addition to the following personal protective equipment.

WEAR SUITABLE PROTECTIVE GLOVES AND FACE PROTECTION (FACESHIELD) when handling the concentrate.

WEAR SUITABLE PROTECTIVE GLOVES when handling contaminated surfaces.

WEAR SUITABLE PROTECTIVE CLOTHING (COVERALLS) AND SUITABLE PROTECTIVE GLOVES when applying by hand-held equipment.

However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher level of protection.

WASH HANDS AND EXPOSED SKIN before meals and after work. WHEN USING DO NOT EAT, DRINK OR SMOKE. WASH CONCENTRATE from skin or eyes immediately.

#### **Environmental Protection**

EXTREME CARE MUST BE TAKEN TO AVOID SPRAY DRIFT onto non-crop plants outside of the target area.

DO NOT CONTAMINATE WATER with the product or its container. Do not clean application equipment near surface water. Avoid contamination via drains from farmyards and roads.

#### Storage and Disposal

KEEP AWAY FROM FOOD, DRINK AND ANIMAL FEEDINGSTUFFS.

KEEP OUT OF REACH OF CHILDREN.

KEEP IN ORIGINAL CONTAINER, tightly closed, in a safe place.

RINSE CONTAINER THOROUGHLY, by using an integrated pressure rinsing device or manually rinsing three times. Add washings to sprayer at time of filling and dispose of safely. DO NOT RE-USE for any other purpose.

#### Medical Advice

IF YOU FEEL UNWELL, seek medical advice (show label where possible).

#### DIRECTIONS FOR USE

IMPORTANT: This information is approved as part of the Product label. All instructions within this section must be read carefully in order to obtain safe and successful use of this product.

### RESTRICTIONS:

DO NOT exceed the maximum dose of 5 litres HYGRASS-P per hectare. DO NOT use HYGRASS-P in fields in which clover forms an important part of the sward.

Avoid drift onto all broad-leaved plants outside the target area. When used in managed amenity turf and lawns, the first four mowings of treated grass must be composted for six months before use as a mulch. Do not use on new grass for six months after establishment. Do not cut grass for one day after treatment. Do not apply to grass suffering from drought, during freezing conditions or when rain is imminent.

#### RESISTANCE MANAGEMENT:

When herbicides with the same mode of action are used repeatedly over several years in the same field, selection of resistant biotypes can take place. These can propagate and may become dominating. A weed species is considered to be resistant to a herbicide if it survives a correctly applied treatment at the recommended dose. A strategy for preventing and managing such resistance should be adopted. This should include integrating herbicides with a programme of cultural control measures.

Guidelines have been produced by the Weed Resistance Action Group and copies are available from the HGCA, CPA, your distributor, crop adviser or product manufacturer.

FOLLOWING CROPS: Any crop may be sown after a crop treated with HYGRASS P.

#### CROP SPECIFIC INFORMATION - MANAGED AMENITY TURF:

RATES OF USE. Use HYGRASS-P at 5 litres per hectare. Spray at 200-500 litres of water per hectare as a MEDIUM quality spray (BCPC definition).

**WEED CONTROL:** Controls most major turf/lawn weeds including clover, daisy, speedwell, plantain, creeping buttercup, spear thistle, bird's trefoil, common mouse-ear and chickweed. It also gives a useful reduction in dandelions.

APPLICATION AND TIMING: Use on turf areas/lawns which are actively growing and where soil is moist, from spring (April) to September. For maximum effect spray when the weeds have adequate leaf area to absorb the product. Re-treatment may be necessary for well established difficult to control weeds. Allow an interval of at least 6 weeks between treatments.

FILLING THE SPRAYER; half fill the spray tank with clean water and start agitation. Add the required quantity of Hygrass-P and top up the tank with water.

**WASH EQUIPMENT** thoroughly with water and wetting agent or liquid detergent immediately after use. Spray out, fill with clean water and leave overnight. Spray out again before storing or using for another product. Traces of product can cause harm to susceptible crops sprayed later.

COMPANY ADVISORY INFORMATION This section is not part of the Product label under the Control of Pesticides Regulations 1986.

TERMS AND CONDITIONS OF SUPPLY, SALE OR USE. The goods supplied by Agrichem (International) Ltd are suitable for the purposes expressly set out in this label when stored, handled, mixed, applied and used in accordance with the instructions on this label. Agrichem (International) Ltd gives no warranty, statutory or otherwise as to the quality or fitness for purpose of the goods other than that expressly set out above. Agrichem (International) Ltd accepts no liability for any injury, loss of life (except where caused by its negligence), damage or direct or indirect or consequential loss (all three of which terms include, without limitation, pure economic loss, loss of profits, loss of business, depletion of goodwill and like loss) howsoever caused arising out of or in connection with the storage, handling, mixing, application or use of goods otherwise than in accordance with these directions. A copy of Agrichem's full set of Terms and Conditions are available on request from Agrichem (International) Ltd.

HYGRASS-P is a registered product of Agrichem Ltd. which is an associate company of Agrichem (International) Limited.

PROTECT FROM FROST. SHAKE WELL BEFORE USE



